IHS Automotive

Sectoral Report

SupplierBusiness

Weight Reduction in Automotive Design and Manufacture

2014 edition

supplierbusiness.com





Contents

Introduction	
The effect of policy initiatives	g
Weight saving methods	14
Competition between OEMs	15
Mass reduction and vehicle lifecycle CO ₂ emissions	
Barriers to weight reduction	
Differentiation	17
Safety	
Process development	18
Cost consideration	
The Drivers for Lightweighting	
Government regulation	21
Fuel economy and CO ₂ emissions	22
The European Union	22
The United States	
Japan	
China	
Other countries	
Testing regimes	
Vehicle safety	
Cost implications	
Consumer behaviour	
Lightweighting as part of the solution	
Lifecycle analysis – the holistic approach	
Historic Perspective	
Weight Reduction by Sector	
Body-in-white, closures and hang-ons	
Powertrain	
Chassis	
Interiors	
Materials technology	
Developing material technology	
Advanced steel developments	
Competition from other materials	
The Future Steel Vehicle Programme	
Steel forming technology	
Aluminium	
Advanced aluminium alloys	
Aluminium and safety	
Growth opportunities for aluminium	
Powertrain applications	
Chassis applications	
Body applications	

IHS™ Automotive

SupplierBusiness

COPYRIGHT NOTICE AND LEGAL DISCLAIMER

© 2013 IHS. No portion of this report may be reproduced, reused, or otherwise distributed in any form without prior written consent, with the exception of any internal client distribution as may be permitted in the license agreement between client and IHS. Content reproduced or redistributed with IHS permission must display IHS legal notices and attributions of authorship. The information contained herein is from sources considered reliable but its accuracy and completeness are not warranted, nor are the opinions and analyses which are based upon it, and to the extent permitted by law, IHS shall not be liable for any errors or omissions or any loss, damage or expense incurred by reliance on information or any statement contained herein. For more information, please contact IHS at customercare@ihs.com, +1 800 IHS CARE (from North American locations), or +44 (0) 1344 328 300 (from outside North America). All products, company names or other marks appearing in this publication are the trademarks and property of IHS or their respective owners.



Changing aluminium properties using carbon nanotubes	
Recycling	
Magnesium	
Price volatility	
Demand for magnesium	
Magnesium advantages	
Magnesium extraction	
Alloy and process development	
Magnesium sheet production and stamping	
Forging	
Titanium	
Titanium engine applications	105
Titanium chassis applications	107
Brake Systems	107
Exhaust Systems	107
Lowering the cost of titanium	
Extraction	
Fabrication	108
Composite and Plastic Materials	110
Carbon fibre	
Strategic interest from OEMs	
Supply-side constraints	
Carbon fibre cost reduction	
Process development	
Thermocomposite materials	
Thermoset versus thermoplastic	
Plastics	
Sheet moulding compound (SMC)	
Nano-scale materials	
Honeycomb structures	
Process development	
Hybrid Materials Technology	
Bio-Materials	
Challenges in bio-material application	
Bio-based materials	
Current and future applications	
Future application	
Textiles	
Woven and knitted fabrics	
Recycling	
New ways of recycling	
Joining technology	
Welding	
Laser welding	
Magnetic pulse welding	
Plasma arc welding	
Deformation resistance welding	
Ultrasonic aluminium welding	
Friction stir welding	
Laser-Assisted Friction Stir Welding	
Adhesive bonding	
Hybrid bonding	
Riveting	15U
Sen-men and nivers	

Figures

Figure 1: Potential further gains in vehicle efficiency	
Figure 2: Segment average kerb weights 1990 - 2012 (Europe)	
Figure 3: US light duty vehicle trends for weight, acceleration, fuel economy, and weight-adjusted fuel	
economy for model years 1975-2009 (US EPA, 2009 data)	
Figure 4: Weight reduction in the current weight-based CO2 target system (left) and in a size based sys	tem
(right)	
Figure 5: Average CO2 emissions levels for new passenger cars in the EUthe EU	11
Figure 6: CO2 emissions for model year 2008 hybrids and their non-hybrid counterparts	12
Figure 7: The cost of fuel efficiency gains through weight reduction compared to other technologies	13
Figure 8: Fiat's C-Evo Platform	
Figure 9: North American curb weight forecast	15
Figure 10: The use phase dominates lifecycle vehicle emissions	16
Figure 11: Analysing lifetime greenhouse gas effects	
Figure 12: Relative CO2 reduction benefits vs. relative cost	19
Figure 13: Drivers and areas of focus for vehicle weight reduction	20
Figure 14: Methods for reducing CO2 output	21
Figure 15: Impact of vehicle weight on fuel consumption	22
Figure 16: The effect of alternative German proposals for CO2 reduction regulation for Europe	
Figure 17: US targets for future GHG reductions (% reduction from 2005 levels)	24
Figure 18: Average fuel efficiency 2010 and 2015 targets for gasoline vehicles	
Figure 19: Comparison of different test regimes for EU, US and Japan	
Figure 20: US mass of passenger cars 1975 – 2010 with weight attributed to safety, emissions, comfort	
convenience features	
Figure 21: Weight and cost comparison for automotive components	32
Figure 22: Challenges with materials application	
Figure 23: US Regular Gasoline prices \$/gallon, January 2011 to June 2013 2013	
Figure 24: Evolution of average Al content of passenger cars in Europe	
Figure 25: Progress in weight reduction through materials technology	37
Figure 26: Materials production average greenhouse gas emissions	38
Figure 27: Demand shortfall of aluminium from end-of-life recycling	38
Figure 28: Lifecycle system analysis schematic	40
Figure 29: CO2 equivalent output per kWh of electricity produced	40
Figure 30: Global automotive microelectromechanical systems (MEMS) sensors shipments	41
Figure 31: Mini segment average kerb weights 1990 - 2012 (Europe)	42
Figure 32: Upper mid segment average kerb weights 1990 – 2012 (Europe)	42
Figure 33: Lower mid segment average kerb weights 1990 - 2012 (Europe)	43
Figure 34: Luxury segment average kerb weights 1990 - 2012 (Europe)	43
Figure 35: Trends in aluminium use	44
Figure 36: The multi-material vehicle concept applied to the Audi A8 body-in-white	45
Figure 37: Aluminium potential and market penetration in Europe	46
Figure 38: Weight share of modules and their weight increase	46
Figure 39: Changes in steel usage in BIW application	47
Figure 40: BIW materials 2006 data and 2015 forecast	48
Figure 41: Aluminium/ magnesium lightweight design 6 cylinder engine	49
Figure 42: Engine weight and performance for aluminium and cast iron blocksblocks	49
Figure 43: Aston Martin carbon fibre rear spoiler	50
Figure 44: Areas for chassis weight reduction	51
Figure 45: Cost comparison of lightweight vehicle structures	52
Figure 46: Mass reduction in seat design	53
Figure 47: Contribution to weight reduction	54
Figure 48: Laser sintered manifold	
Figure 49: Implementation of advanced steel alloys over time for Ford models	56

Figure 50: Overall demand for auto steel and other metals and materials	57
Figure 51: Advanced high strength steel developments	58
Figure 52: BIW materials by tensile strength BMW 6 Series	
Figure 53: Third generation advanced high strength steel development	60
Figure 54: Microstructure of TRIP steel	
Figure 55: Use of boron steel in BMW's 6 Series BIW	
Figure 56: Beyond third generation AHSS; NanoSteel alloys	
Figure 57: P-group elements in the periodic table	64
Figure 58: Elongation versus alloy percent p-group elements conventional high strength steels	
Figure 59: Elongation versus alloy percent p-group elements NanoSteel AHSS	
Figure 60: Life cycle greenhouse gas emissions of the Future Steel Vehicle (FSV) programme vehicle	
Figure 61: Steel portfolio to technology portfolio flow diagram for the FSV programme	
Figure 62: Aluminium content per vehicle	
Figure 63: Primary aluminium production 2012	
Figure 64: US forecast market share of steel and aluminium	
Figure 65: Al growth by segment for Europe and North America	
Figure 66: Aluminium content in 2012	
Figure 67: Aluminium and plastic componentry BMW 7 Series body structure	
Figure 68: Aluminium content growth 2009 to 2012	
Figure 69: Iso-strength curves for 6000 Series alloys	
Figure 70: Composition of 7000 Series alloys	
Figure 71: High aluminium content vehicles with a US NHTSA 5 star safety rating (2009)	
Figure 72: Aluminium front structure	
Figure 73: Weight reduction studies	
Figure 74: Federal Mogul's Advanced Estoval II piston	
Figure 75: Aluminium steering knuckle	
Figure 76: Magnesium content per vehicle	
Figure 77: Specific strength versus specific stiffness for various materials	
Figure 78: Magnesium demand breakdown	
Figure 79: Global magnesium production 1998 and 2011 by region	
Figure 80: Die cast three cylinder engine block in AM-SC1 alloy	
Figure 81: Potential magnesium applications Figure 82: Potential magnesium extrusion use	
Figure 82: Potential magnesium extrusion use	
Figure 84: Application of titanium-Metal Matrix Composite (MMC) alloys for engine components	
Figure 85: Titanium use in the Bugatti Veyron	
Figure 86: Price elasticity of demand for various engineering materials	
Figure 87: CFRP cost structure according to SGL Group	115
Figure 88: Resin Transfer Moulding (RTM) process chain	115
Figure 89: McLaren's MP4-12C featuring a carbon fibre monocoque safety cell	
Figure 90: Resin Transfer Moulding (RTM) process schematic	
Figure 91: CFRP future development roadmap	
Figure 92: Schematic of the Resin Spray Transfer process	
Figure 93: Advanced engineering plastics use in the MX-0 design challenge vehicle	
Figure 94: Density strength relationships for various engineering materials	
Figure 95: Emerging automotive nanotechnology uses	
Figure 96: Nanocomposite interior component	
Figure 97: Over injection moulding of metal structures	
Figure 98: A schematic illustrating a holistic interdisciplinary approach to multi-material design and	
facture	
Figure 99: Optimal continuous fibre reinforcement design for thermoplastic component	
Figure 100: Hybrid materials process schematic	

Tables

Table 1: The relative cost of fuel economy measures	8
Table 2: Global automotive efficiency and GHG standards	10
Table 3: Comparison of different fuel efficiency regulations and test regimes	
Table 4: Relative crash safety of mass reduced SUV and car combinations	31
Table 5: Mass reduction potential for alternative materials	44
Table 6: OEM statements and commitments to weight reduction	45
Table 7: Multi-materials potential body applications	47
Table 8: Weight reduction in lightweight shock absorber assemblies	53
Table 9: Steel grades	63
Table 10: Range of steels available for FSV	68
Table 11: Summary applications of magnesium in Western Europe and North America	92
Table 12: Potential for weight saving replacing aluminium with magnesium in the powertrain	94
Table 13: Mechanical and physical properties of Magnesium	
Table 14: properties of magnesium alloys compared with plastics, steel and aluminium	
Table 15: Titanium cost comparison	105
Table 16: Global supply and demand for carbon fibre across all industries	112
Table 17: Small TOW and large TOW capacity by supplier 2011	113
Table 18: DoE US targets and metrics for carbon fibre and composites	119
Table 19: Advantages and disadvantages of thermoset and thermoplastic composites	121
Table 20: Mechanical properties of selected fibres and polymers	134
Table 21: Bio-based content of selected automotive components	136
Table 22: Selected bio-based automotive components	137