

Care and Repair of Advanced Composites

Second Edition

List of Chapters:

Foreword

Preface to the Second Edition

Preface to the First Edition

Chapter 1 Introduction to Composites and Care of Composite Parts

- 1.1 Definition of Composites
- 1.2 History of Composite Materials
- 1.3 Advantages and Disadvantages of Composites
 - 1.3.1 Advantages of Composites
 - 1.3.2 Disadvantages of Composites
 - 1.3.3 Advantages of Thermoset Resin Composites
 - 1.3.4 Disadvantages of Thermoset Resin Composites
 - 1.3.5 Advantages of Thermoplastic Resin Composites
 - 1.3.6 Disadvantages of Thermoplastic Resin Composites
- 1.4 Applications of Composites to Modern Aircraft, Yachts, Cars, and Trains
 - 1.4.1 Early Aircraft Structures
 - 1.4.2 Modern Aircraft Structures and Other Applications
- 1.5 Care of Composite Parts
 - 1.5.1 Sources of Damage to Composite Parts
 - 1.5.1.1 Physical or Chemical Damage
 - 1.5.1.2 Deterioration in Normal Service

- 1.5.2 Avoidance of Damage and Reduction of Deterioration in Service

1.6 References

Chapter 2 Materials

- 2.1 Fiber Reinforcement
 - 2.1.1 Comparison of Some High-Performance Fibers and Common Metals
 - 2.1.2 Glass Fiber
 - 2.1.2.1 Glass Manufacture
 - 2.1.2.2 Glass Fiber Manufacture
 - 2.1.3 Carbon Fibers
 - 2.1.3.1 Carbon Fiber Manufacture
 - 2.1.3.2 Future Development
 - 2.1.3.3 Further Details of Carbon and Graphite Fibers
 - 2.1.4 Aramid Fibers
 - 2.1.5 Boron Fibers
 - 2.1.6 Other New Fibers
- 2.2 Forms of Reinforcement
 - 2.2.1 Tapes
 - 2.2.2 Fabrics
 - 2.2.2.1 Woven Fabric Weave Styles
 - 2.2.2.2 Effect of Weave Style
 - 2.2.2.3 Noncrimp Fabrics
 - 2.2.2.4 Nonwoven Randomly Oriented Mats
 - 2.2.2.5 Fiber and Fabric Glossary
- 2.3 Fiber Sizing and Finish
 - 2.3.1 Glass Fiber Finishes
 - 2.3.2 Carbon Fiber Finishes
 - 2.3.3 Aramid Fiber Finishes

| | | | |
|---------|--|---|--|
| 2.3.4 | Sizing and Finish for New Types of Fibers and Fabrics | 2.8 | Protective Coatings |
| 2.4 | Matrix (Resin) Systems | 2.8.1 | Sealants |
| 2.4.1 | Thermoplastic Resins | 2.8.1.1 | Old-Generation Thiokol Sealants |
| 2.4.2 | Thermosetting Resins | 2.8.1.2 | New-Generation Polythioether Sealants |
| 2.4.3 | Properties Required of Matrix Resins and Adhesives | 2.8.1.3 | Silicone Sealants |
| 2.4.3.1 | Physical and Chemical Properties | 2.8.1.4 | Viton Rubber Sealants |
| 2.4.3.2 | Mechanical Properties | 2.8.2 | Primers |
| 2.4.3.3 | Epoxy-Based Matrix Resins and Adhesives for Aerospace Use | 2.8.3 | Finishes |
| 2.4.4 | Epoxy and Phenolic Pre-Pregs and Film Adhesives—Curing Stages | 2.8.4 | Conductive Coatings |
| 2.4.5 | Mixing and Mix Ratios for Epoxy Wet Resins | 2.8.5 | Erosion-Resistant Coatings |
| 2.4.5.1 | Weighing | 2.8.6 | Other Protective Coatings |
| 2.4.5.2 | Mixing | 2.9 | References |
| 2.4.5.3 | Definitions Related to Mixing and Application | 2.10 | Bibliography |
| 2.4.6 | Polyester Resins | Chapter 3 Handling and Storage | |
| 2.5 | Adhesives | 3.1 | Shipping and Receiving |
| 2.5.1 | Liquid and Paste Adhesives | 3.2 | Temperature Requirements |
| 2.5.2 | Foaming Adhesives | 3.3 | Storage Practices |
| 2.5.3 | Film Adhesives | 3.3.1 | Temperature Requirements |
| 2.5.4 | Glue-Line Thickness Control | 3.3.1.1 | Dry Fabrics |
| 2.5.5 | In-Service Effects on Resin Systems | 3.3.1.2 | Storage of Pre-Preg, Film, and Paste Adhesives, Potting Compounds, and Primers |
| 2.6 | Core Materials | 3.3.1.3 | Storage of Sealants for Aircraft Use |
| 2.6.1 | Wood | 3.3.1.4 | Storage of Consumable Items for Composite and Bonded Metal Repairs |
| 2.6.2 | Foam Core Materials | 3.3.2 | Cleanliness and Damage Prevention |
| 2.6.2.1 | Material Types | 3.3.3 | Moisture Damage Prevention |
| 2.6.2.2 | Foam Density | 3.3.4 | Identification |
| 2.6.2.3 | Advantages and Disadvantages | 3.3.5 | Release Notes and Approved Certificates |
| 2.6.3 | Honeycomb Core Materials | 3.4 | Shelf Life/Out Time |
| 2.6.3.1 | Honeycomb Material Types | 3.5 | Kitting |
| 2.6.3.2 | Cell Shapes | 3.6 | Recertification |
| 2.6.3.3 | Honeycomb Densities and Cell Sizes | 3.7 | Care of Materials in the Hangar or Workshop |
| 2.6.4 | Fluted Core | Chapter 4 Manufacturing Techniques | |
| 2.6.5 | Syntactic Core | 4.1 | Filament Winding |
| 2.7 | Syntactic Foams and Potting Compounds | 4.2 | Lay-Up Methods for Fabrics and Tapes |
| 2.7.1 | Filler Materials for Potting Compounds, Resin Systems, and Adhesives | 4.2.1 | Hand Lay-Up (Wet and Pre-Preg Laminating) |
| 2.7.2 | Other Fillers | 4.2.2 | Automated Lay-Up |
| | | 4.3 | Pultrusion |
| | | 4.4 | Resin Transfer Molding |
| | | 4.5 | Injection Molding |

- 4.6 Tow Placement
- 4.7 Press Molding
- 4.8 Vacuum Bonding
- 4.9 Autoclave Bonding
- 4.10 Oven Curing
- 4.11 References
- 4.12 Other Useful Reading

Chapter 5 Original Design Criteria

- 5.1 Principal, Primary, and Secondary Structures
 - 5.1.1 Sources of Damage to Composite Airframe Components
 - 5.1.2 Consequences of Failure
- 5.2 Types of Composite Structures
 - 5.2.1 Monolithic Laminated Structures (Solid Laminates)
 - 5.2.2 Sandwich Structures
- 5.3 Ply Orientation
 - 5.3.1 Warp Clock
 - 5.3.2 Balance and Symmetry
 - 5.3.3 Nesting and Stacking
- 5.4 Core Orientation
- 5.5 Operational Environment
 - 5.5.1 Temperature
 - 5.5.2 Humidity
 - 5.5.3 Contaminants
 - 5.5.4 Erosion
 - 5.5.5 Thermal Stresses
 - 5.5.6 Hygrothermal Effects
 - 5.5.7 Fire Resistance
- 5.6 Electrical Requirements
 - 5.6.1 Galvanic Corrosion
 - 5.6.2 Electromagnetic Interference
 - 5.6.3 Electrostatic Discharge
 - 5.6.4 Lightning Strike Energy Dispersion
 - 5.6.5 Radar Transmissivity
- 5.7 Mechanical Requirements
 - 5.7.1 Tensile and Flexural Strength
 - 5.7.2 Stiffness
 - 5.7.3 Fatigue
 - 5.7.4 Impact Resistance (Damage Tolerance)
 - 5.7.5 Creep
- 5.8 Attachments/Joints
 - 5.8.1 Bonded Joints
 - 5.8.2 Mechanically Fastened/Riveted Joints
- 5.9 Other Design Requirements
 - 5.9.1 Aerodynamic Smoothness
 - 5.9.2 Weight and Balance
- 5.10 References

Chapter 6 Safety and Environment

- 6.1 Introduction
- 6.2 Workshop Conditions for Good Bonding
- 6.3 Respirable Fibers and Dust
 - 6.3.1 Fiberglass
 - 6.3.2 Carbon and Graphite Fibers
 - 6.3.3 Aramid Fibers
 - 6.3.4 Sanding Dust
- 6.4 Fumes and Vapors
 - 6.4.1 Resin Fumes
 - 6.4.2 Solvent Vapors
 - 6.4.3 Sealant Vapors
 - 6.4.4 Coatings
 - 6.4.5 Fuel
 - 6.4.6 Acid Fumes and Splash
 - 6.4.7 Exposure Limits
- 6.5 Skin Contact
 - 6.5.1 Fibers in Contact with the Skin
 - 6.5.2 Resins in Contact with the Skin
 - 6.5.3 Solvents in Contact with the Skin
 - 6.5.4 Selection of Suitable Gloves
 - 6.5.5 Skin Creams for Personal Protection
- 6.6 Material Safety Data Sheets
- 6.7 Exothermic Reactions
- 6.8 Waste Disposal
- 6.9 Safety Procedures
 - 6.9.1 Emergency Action First-Aid Procedures
 - 6.9.2 General Safety Procedures
 - 6.9.3 Personal Safety Precautions
 - 6.9.4 Dermatitis
- 6.10 Action in the Event of a Chemical Spillage
- 6.11 Explosion Risk
- 6.12 Static Discharge and Fire Prevention
 - 6.12.1 Static Discharge Prevention
 - 6.12.2 Fire Prevention
- 6.13 Safety Requirements for Electrical Appliances
- 6.14 ISO Environmental Management Standards
- 6.15 References
- 6.16 Bibliography

Chapter 7 Damage and Repair Assessment

- 7.1 Visual Inspection
- 7.2 Tap Test
- 7.3 Ultrasonic Inspection
- 7.4 X-Ray Methods
- 7.5 Eddy Current Inspection
- 7.6 Thermography
- 7.7 Bond Testers
- 7.8 Moisture Meters

- 7.9 Interferometry/Shearography
- 7.10 Damage Types
- 7.11 Sources of Mechanical Damage
- 7.12 Damage Mapping
- 7.13 Assessment of Damage Significance
- 7.14 References

Chapter 8 Source Documents

- 8.1 Revision Systems
- 8.2 Effectivity
- 8.3 Drawing Numbering Systems
- 8.4 Internal Documents
- 8.5 Material and Process Specifications
- 8.6 Original Equipment Manufacturer Documents
- 8.7 Regulatory Documents
- 8.8 Air Transport Association of America ATA 100 System
- 8.9 Aircraft Maintenance Manual
- 8.10 Component Maintenance Manual
- 8.11 Overhaul Manual
- 8.12 Illustrated Parts Catalog
- 8.13 Structural Repair Manual
- 8.14 Engine Manual

Chapter 9 Structural Repair Manual (SRM) Repair Method Selection

- 9.1 Component Identification
- 9.2 Damage Classification
 - 9.2.1 Damage Terminology
 - 9.2.2 Critical Areas
 - 9.2.3 Allowable/Negligible Damage
 - 9.2.4 Repairable Damage
 - 9.2.5 Overhaul or Replace
 - 9.2.6 Other Considerations
- 9.3 Repair Methods
 - 9.3.1 Speedtape
 - 9.3.2 Resin Sealing
 - 9.3.3 Potted Repairs
 - 9.3.4 Bolted Doublers (Metal Plates) and Bonded Doublers (Composite Patches)
 - 9.3.5 Pre-Cured Doublers Versus Co-Cured Doublers
 - 9.3.6 Room-Temperature Wet Lay-Up
 - 9.3.7 Elevated-Temperature Wet Lay-Up
 - 9.3.8 Pre-Preg Repairs
 - 9.3.9 Scarfed and Stepped Lap Repairs
 - 9.3.10 Composite Repairs to Metals
- 9.4 References

Chapter 10 Repair Techniques

- 10.1 Preparation
 - 10.1.1 Paint Removal
 - 10.1.2 Disbonding Methods
 - 10.1.2.1 Disbonding Adhesively Bonded Metal Parts
 - 10.1.2.2 Disbonding Composite Parts
 - 10.1.3 Damage Removal
 - 10.1.3.1 Damage Removal from Metal Parts
 - 10.1.3.2 Removal of Skin and Doubler Material
 - 10.1.3.3 Damage Removal from Composite Parts
 - 10.1.3.4 Removal of Core Material
 - 10.1.3.5 Removal of Surface Corrosion
 - 10.1.4 Moisture and Contamination Removal
 - 10.1.5 Surface Preparation of Composites—Repair Sanding and Ply Determination
 - 10.1.5.1 Abrading
 - 10.1.5.2 Taper Sanding/Scarfig
 - 10.1.5.3 Step Sanding and Cutting
 - 10.1.6 Water Break Test
 - 10.1.7 Metallic Surface Preparation
- 10.2 Typical Repairs
 - 10.2.1 Edge Band Repairs
 - 10.2.2 Repair of Damage to Core and One Skin
 - 10.2.3 Repair of Damage to Core and Both Skins
 - 10.2.4 Hybrid Repairs
 - 10.2.5 Blind Repairs
 - 10.2.6 Injected Repairs
 - 10.2.7 Solid Laminate Repairs
 - 10.2.8 Potted Repairs
 - 10.2.9 Metal-to-Metal Bonding
 - 10.2.10 Plastic Welding (Solvent or Heat)
- 10.3 Adhesive Usage
- 10.4 Bagging Materials, Release Films, Release Fabrics, Peel Plies, Breather Cloths, Bleeder Cloths, Bleed-Out Fabrics, and Application Techniques
 - 10.4.1 Terminology
 - 10.4.2 Selection Criteria
 - 10.4.3 Surface Versus Envelope Bagging
 - 10.4.4 Pleating
 - 10.4.5 Bagging Sequence

- 10.4.6 Vacuum Requirements and Principles
 - 10.4.6.1 Vacuum Bonding
 - 10.4.6.2 Application of Vacuum Pressure to Plates and Assemblies Using Nonperforated Honeycomb
 - 10.4.6.3 Practical Techniques to Ensure Adequate Applied Vacuum Pressure to Parts Under Repair
- 10.4.7 Caul Plate and Dam Usage
- 10.4.8 Vertical Bleed Method
- 10.4.9 Squeeze-Out (Edge Bleed-Out) Method
- 10.4.10 Zero-Bleed Method
- 10.4.11 Ply Compaction and Debulking
- 10.4.12 Debaggging Precautions and Typical Problems
- 10.5 Curing Stages and Temperatures—Heating Techniques
 - 10.5.1 Curing Stage Definitions
 - 10.5.2 Low-Temperature Cure
 - 10.5.3 Elevated-Temperature Cure
 - 10.5.4 Direct Versus Indirect Heating
 - 10.5.5 Ramp Rates and Soak Cycles
 - 10.5.6 Temperature Control and Monitoring
 - 10.5.7 Thermocouple Placement
 - 10.5.8 Temperature Control Problems
 - 10.5.9 Hot Bonder and Heater Blanket Usage
 - 10.5.10 Heat Sinks
 - 10.5.11 Thermocouples
 - 10.5.12 Distortion of Parts During Heating or Cooling
- 10.6 Post-Repair Inspection
- 10.7 Surface Restoration
- 10.8 References

Chapter 11 Mechanical Fastening Systems

- 11.1 Introduction
- 11.2 Fastener Types
 - 11.2.1 Fastener Standards
 - 11.2.2 Fastener Compatibility
 - 11.2.3 Rivets
 - 11.2.3.1 Solid Rivets
 - 11.2.3.2 Blind Rivets
 - 11.2.3.3 Hollow End Rivets
- 11.3 Screws, Nuts, and Bolts
 - 11.3.1 Specialty Fasteners (Special Bolts)
 - 11.3.2 Lockbolts

- 11.3.3 Hex Drive Bolts
- 11.3.4 Specialty Blind Bolts
- 11.4 Spacers, Bolt Inserts, and Grommets
- 11.5 Hole Preparation
 - 11.5.1 Drilling
 - 11.5.2 Hole Sizes and Tolerances
 - 11.5.3 Edge Distance and Fastener Pitch
 - 11.5.4 Hole Protection
- 11.6 Fastener Installation and Removal
 - 11.6.1 Fastener Installation
 - 11.6.2 Fastener Removal
- 11.7 Fastener Substitution
- 11.8 Bonded Fasteners
- 11.9 Composite Fasteners
- 11.10 References

Chapter 12 Documentation

- 12.1 Process Control Documents
 - 12.1.1 Cure Chart/Data Strip
 - 12.1.2 Routine and Nonroutine Work Documents
 - 12.1.2.1 Routine Work Documents
 - 12.1.2.2 Nonroutine Work Documents
 - 12.1.3 Nondestructive and Destructive Inspection Data
 - 12.1.4 Coupon Test Results
 - 12.1.5 Clean-Room Temperature and Humidity
 - 12.1.6 Return to Service/Log Book Sign-Offs
- 12.2 Calibration Records
- 12.3 Material Control Records
- 12.4 Component Documentation
- 12.5 Training Records

Chapter 13 Shop Equipment and Hand Tools

- 13.1 Hand Tools and Techniques
 - 13.1.1 Drills
 - 13.1.2 High-Speed Grinders
 - 13.1.3 Cutting Utensils
 - 13.1.4 Hand Routers
 - 13.1.5 Orbital Sanders
 - 13.1.6 Cast Cutter (Oscillating Saw)
 - 13.1.7 Painting Equipment
 - 13.1.8 Resin Applicators
- 13.2 Shop Equipment
 - 13.2.1 Bandsaws
 - 13.2.2 Air Compressors
- 13.3 Heating Devices
- 13.4 Measuring Devices

- 13.5 Health and Safety Equipment
- 13.6 References

Chapter 14 Tooling and Mold Making

- 14.1 Introduction
- 14.2 Caul Plate and Dam Fabrication
- 14.3 Splash Mold Making
- 14.4 Release Agents/Films
- 14.5 Simple Room-Temperature Tooling
- 14.6 Room-Temperature Curing Pre-Preg Tooling
 - 14.6.1 Lay-Up
 - 14.6.2 Debulk Procedure
 - 14.6.3 Final Bagging Procedure
 - 14.6.4 Autoclave Cure
 - 14.6.5 Time Limits
 - 14.6.6 Step Post-Curing Procedure After Room-Temperature or Low-Temperature Initial Cure
 - 14.6.7 Support Structures
 - 14.6.8 Initial Release Priming of New Composite Tools
 - 14.6.9 Developments in Low-Temperature Curing Materials
- 14.7 References

Chapter 15 Metal Bonding

- 15.1 Introduction
 - 15.1.1 History and Requirements
 - 15.1.1.1 Metal Bonding
 - 15.1.1.2 Epoxy Adhesives
 - 15.1.1.3 Requirements for Adhesives
 - 15.1.2 Principles of Adhesion
 - 15.1.2.1 Adhesion Theory
 - 15.1.2.2 Environmental Durability
 - 15.1.2.3 Temperature Effects
 - 15.1.2.4 Humidity Effects
 - 15.1.3 Advantages and Disadvantages of Metal Bonding
- 15.2 Surface Preparation Methods
 - 15.2.1 Abrasive Cleaning
 - 15.2.2 Pasa-Jell
 - 15.2.3 Hydrofluoric Acid Etching
 - 15.2.4 Grit Blast/Silane
 - 15.2.5 Alodine or Alochrom 1200
 - 15.2.6 Boeing Boegel EPII Sol-Gel Process
 - 15.2.7 FPL Etch
 - 15.2.8 Chromic Acid Anodizing

- 15.2.9 Phosphoric Acid Anodizing
 - 15.2.9.1 Phosphoric Acid Containment System (PACS)
 - 15.2.9.2 Phosphoric Acid Non-Tank Anodizing (PANTA)
- 15.2.10 Metadalic/Sifco Selective Plating (U.K.) Ltd.
- 15.2.11 Ciba Laser Pretreatment
- 15.2.12 Other Surface Preparations
- 15.3 Primers
 - 15.3.1 Reasons for Using Primers
 - 15.3.2 Primer Types
 - 15.3.3 Application of Primers
 - 15.3.4 Curing/Drying
 - 15.3.5 Thickness Verification
- 15.4 Handling Primers
- 15.5 References
- 15.6 Bibliography

Chapter 16 Design Guide for Composite Parts

- 16.1 Introduction
- 16.2 Analysis of Reports Received
- 16.3 Other Required Design Features Not Mentioned in the Analyzed Reports
- 16.4 References

Chapter 17 Repair Design

- 17.1 General Repair Design
 - 17.1.1 Introduction to Repair Design
 - 17.1.2 Laminate Loading
 - 17.1.2.1 Tension and Compression Loads and Strains
 - 17.1.2.2 Shear Stress and Strain
 - 17.1.2.3 Poisson's Ratio
 - 17.1.3. Repair Philosophy and Design Requirements
 - 17.1.3.1 Certification Load Capacity
 - 17.1.3.2 Repair Categorization
- 17.2 Laminate Repair Design
 - 17.2.1 Introduction to Laminate Repair Design
 - 17.2.2 Laminate Repair Design Considerations
 - 17.2.2.1 Stiffness
 - 17.2.2.2 Strength
 - 17.2.2.3 Stability

- 17.2.2.4 Environmental Effects and Protection
 - 17.2.2.4.1 Operational and Glass Transition Temperatures (T_g)
 - 17.2.2.4.2 Lightning and Electrostatic Protection
- 17.2.2.5 Other Repair Design Considerations
- 17.2.2.6 Laminate Repair Recommendations
- 17.2.3 Laminate Analysis Techniques for Repair Design
 - 17.2.3.1 Introduction to Simplified Analysis Techniques
 - 17.2.3.2 Elastic Modulus (E) Analysis
 - 17.2.3.3 Strength (F) Analysis
 - 17.2.3.4 Poisson's Ratio (ν_p) Analysis
 - 17.2.3.5 In-Plane Shear Modulus (G)
- 17.2.4 In-Plane Shear Strength (τ)
- 17.3 Core Repair Design
 - 17.3.1 Function and Loading of Core in Sandwich Construction
 - 17.3.2 Core Material, Density, and Cell Size
 - 17.3.3 Core Repair Design Recommendations
- 17.4 Bonded Joint Repair Design
 - 17.4.1 Introduction to Bonded Joints
 - 17.4.2 Types of Bonded Joints
 - 17.4.3 Failure Modes of Bonded Joints
 - 17.4.4 Adhesive Behavior in Bonded Joints
 - 17.4.4.1 Adhesive Shear Stress and Strain
 - 17.4.4.2 Elastic and Plastic Adhesive Behavior
 - 17.4.4.3 Temperature and Moisture Effects
 - 17.4.4.4 Joint Adherend Effects—Stiffness Imbalance and Thermal Mismatch
 - 17.4.4.5 Recommended Joint Overlaps and Simplistic Analysis
 - 17.4.5 Adhesive Peel Stress and Displacement
- 17.4.6 Durability—Fatigue, Creep, and Environmental Effects
- 17.4.7 Bonded Joint Repair Considerations
- 17.4.8 Bonded Joint Repair Design Recommendations
- 17.5 Mechanically Fastened Joints
 - 17.5.1 Introduction to Mechanically Fastened Joints
 - 17.5.2 Fastened Laminate Failure Modes
 - 17.5.3 Fastener Failure Modes
 - 17.5.4 Open-Hole Stress Concentrations—Composites Versus Metals
 - 17.5.5 Loading of Mechanically Fastened Joints
 - 17.5.6 Loaded Fastener Holes
 - 17.5.7 Fastener Load Distribution and Joint Geometry
 - 17.5.8 Lay-Up Orientation for Fastened Joints
 - 17.5.9 Pad-Ups and Hybrid Material Application
 - 17.5.10 Fatigue of Fastened Composite Joints
 - 17.5.11 Effects of Gaps and Shims
 - 17.5.12 Fastener Selection
 - 17.5.13 Mechanically Fastened Repairs in Sandwich Panels
 - 17.5.14 Fastened Joint Repair Recommendations
- 17.6 References
- 17.7 Bibliography

Additional Information

Index

About the Authors

