


INTEGRATED MICROSYSTEMS SERIES

# RFID-Enabled Sensor Design and Applications



**Amin Rida**  
**Li Yang**  
**Manos Tentzeris**

# Contents

	<b>Preface</b>	<b><i>xi</i></b>
<b>1</b>	<b>Automatic Identification Systems</b>	<b>13</b>
1.1	Barcode Systems	15
1.2	Magnetic Stripe Card	16
1.3	Smart Cards	17
1.4	RFID Systems	18
1.4.1	Definition	18
1.4.2	History of RFID	19
1.4.3	Beyond RFID: RFID-Enabled Sensors	23
	References	24
<b>2</b>	<b>Fundamentals and Operating Principles for RFID</b>	<b>27</b>
2.1	RFID Tag Components	27
2.1.1	Tag Antenna	28
2.1.2	Integrated Circuits	30
2.1.3	Substrate	30
2.2	RFID Tag Types	31
2.2.1	Passive Tags	31
2.2.2	Active Tags	33

2.2.3	The 1-Bit Transponder and Chipless Tags	34
2.3	RFID Readers and Middleware Component	34
2.3.1	RFID Readers	34
2.3.2	RFID Middleware	35
2.4	Communication Fundamentals in RFID Systems	36
2.4.1	Coupling Mechanisms	36
2.4.2	Data Encoding	37
2.4.3	Multipath Effect	39
2.5	Tag, Reader, and Sensor Communication	41
2.5.1	Passive Systems	43
2.5.2	Active Systems, UWB, Zigbee, and Wi-Fi Tags	44
2.6	Licenses and Standards for Global Operation	45
	References	47
<b>3</b>	<b><u>Fundamentals and Operating Principles of Sensors</u></b>	<b>49</b>
3.1	Types of Sensors	49
3.1.1	Use of Sensors	49
3.1.2	Types of Sensors	51
3.2	Basic Considerations of Sensor Design	53
3.2.1	What to Measure	53
3.2.2	Requirements for Accuracy	53
3.2.3	Requirements for Resolution	54
3.2.4	Environment of the Sensor	54
3.2.5	Calibration	54
3.3	Wireless Sensors and Wireless Sensor Networks	55
	References	58
<b>4</b>	<b><u>Design of RFID-Enabled Sensors</u></b>	<b>59</b>
4.1	RFID Antenna Design Challenges	59
4.1.1	Antenna Basics and the Dipole	60
4.1.2	Passive RFID Antennas Using Serial Stubs	64
4.1.3	Bowtie T-Match RFID Antenna	75
4.1.4	Passive RFID Antenna Using Inductively Coupled Feed Structure	81
4.1.5	Active RFID Monopole Antenna Design	85
4.2	Integrated Circuit Design	95
4.2.1	Voltage Multiplier for RFID Integrated Circuits	95

4.2.2	Microcontroller for Active RFID-Enabled Sensor	98
4.3	Characterization and Development of Printed Circuit Boards or Substrates	105
4.4	Integration and Packaging: Integration of Sensors and RFID: Design Examples	119
4.4.1	Single-Layer, Dipole-Based Sensor Wireless Module	120
4.4.2	Double-Layer Monopole-Based Sensor Wireless Module	122
4.4.3	Fabrication/Assembly of the Dipole- and Monopole-Based Wireless Sensor Modules	125
4.5	Power Consumption and Link Budget	137
	References	141
<b>5</b>	<b><u>State-of-the-Art Technology for RFID/Sensors</u></b>	<b>145</b>
5.1	Inkjet-Printed Technology	145
5.2	Flexible Low-Cost Substrate	149
5.2.1	Paper as the Ultimate Solution for a Low-Cost Environmentally Friendly RF Substrate	150
5.2.2	Liquid Crystal Polymer: Properties and Benefits for RF Applications	152
5.2.3	Dielectric Characterization of the Paper Substrate	153
5.2.4	Cavity Resonator Method	157
5.3	Maintenance-Free RFID-Enabled Sensors	160
5.4	Power Scavenging: Wearable Battery-Free Active RFID Tag with Energy Scavenger	169
5.4.1	Energy-Harvesting Unit	171
5.4.2	Shoe-Mounted Antenna Design	173
5.4.3	Circuit Implementation	178
	References	184
<b>6</b>	<b><u>Worldwide Applications</u></b>	<b>189</b>
6.1	Logistics/Supply Chain	190
6.2	Automotive	194
6.3	Healthcare Monitoring	194
6.4	Space and Navigation Systems	199
	References	200

**About the Authors** **201**

---

**Index** **203**

---

- RFID-enabled sensors (continued)
  - microcontrollers for, 98–105
  - power consumption, 137–39
  - printed circuit boards, 105–19
  - state-of-the-art technology, 145–84
  - substrates, 105–19
  - system level performance, 129–37
  - worldwide applications, 189–200
- RFID readers, 34–35
  - antennas, 34
  - anticollision, 35
  - bandwidth, 35
  - complexity, 33
  - defined, 20, 34
  - function illustration, 36
  - microprocessors, 35
  - performance, 34–35
  - polarization, 34–35
  - UHF, 139
- RFID tags
  - 1-bit transponder, 34
  - active, 27, 33–34
  - antenna, 28–30
  - chipless, 34
  - components, 27–31
  - components illustration, 28
  - conformal, 118, 119
  - defined, 20
  - design, 23
  - disposal, 24
  - equivalent circuit, 29–30
  - flat, 118
  - inkjet-printed, 78, 79
  - integrated circuits, 30
  - magnetic stripe cards with, 17
  - measured return loss, 118
  - passive, 31–33
  - power reflection coefficient, 168
  - simulated and measured return loss, 167
  - substrate, 30–31
  - types, 31–34
  - UWB, 44–45
  - wearable battery-free, 169–84
  - Wi-Fi, 44–45
  - Zigbee, 44–45
- Ring resonators, 153–54
- Satimo's Stargate 64 measurement system, 79
- Schottky diodes, 96
- Seebeck effect, 49
- Select command, 44
- Self-powered active RFID tags, 180
- Self-powered RFID shoes, 179
- SENSE mode, microcontrollers, 99–100
- Sensors, 49–50
  - accuracy requirements, 53–54
  - applications, 50, 51–52
  - calibration, 54–55
  - defined, 49
  - design considerations, 53–55
  - environment of, 54
  - input-output relationships, 52
  - manufacture of, 51
  - measurements, 53
  - operating modes, 52
  - output signals, 52
  - parameters, 50
  - power supplies, 52
  - resolution requirements, 54
  - use of, 49–51
  - wireless, 55–58
  - See also* RFID-enabled sensors
- Shoe-mounted antennas, 173–78
  - defined, 174
  - far-field radiation pattern, 176
  - gain measurement, 177
  - logo, 174, 175
  - measured and simulated return loss, 175
  - measured return loss comparison, 176
  - prototype, 181
  - self-powered, 179, 180
- Short-open-load-through (SOLT)
  - calibration method, 77, 109
- Silicone, 107
- Silver electrodes, 161
- Silver epoxy, 180
- Silver nanoparticle inks, 148, 149
- Singapore, frequency allocations, 46
- Single-layer, dipole-based sensor wireless module, 120–22
- SLEEP mode, microcontrollers, 99
- Smart cards, 17–18
  - contactless, 18
  - EEPROM, 18
  - SIM, 17–18
  - universal contactless, 18, 19
- South Africa, frequency allocations, 46

- South Korea, frequency allocations, 46
- Space applications, 199–200
- Split-cylinder resonators, 158
- S-shape antennas
  - E-field coupling, 69
  - gain, 74–75
  - probe plus, 72
  - simulated input impedance, 67
  - 2-D far-field radiation, 68
- Static calibration, sensors, 55
- Step-down transformers, 180
- Substrates
  - characterization and development, 105–19
  - flexible low cost, 149–60
  - LCP, 152–53
  - organic, 150
  - paper, 150–52, 153–57
  - PET, 73
  - RFID tags, 30–31
- Surface acoustic wave (SAW) technology, 34, 44
- SWCNT, 161–63
  - composite, 163
  - film functioning as tunable resistor, 164
  - films, 161, 162, 167, 168
  - flocculation, 161
  - impedance performance, 168
  - inkjet-printed, 162
  - measured impedance characteristics, 164
  - sensor mismatch, 165
  - types of, 161
- System level performance, 129–37
  - dipole-based wireless sensor module, 130–33
  - monopole-based wireless sensor module, 134–37
- System on package (SOP) approach, 152, 153
- Taiwan, frequency allocations, 46
- Technology, 145–84
  - inkjet-printed, 145–49
  - maintenance-free RFID-enabled sensors, 160–69
  - power scavenging, 169–84
  - substrate, 149–60
- Thermocouples, 49, 50
- Thermoelectric effect, 49
- Three-dimensional printing, 145
- Through-reflect-lines (TRL), 155
- Tire pressure application, 194, 195
- Transponders, 106
- Two-dimensional (2-D) barcodes, 15
- TXE-433-KH2 transmitter, 178
- Ultra-compact passive RFID antennas, 81–84
  - defined, 81
  - fabrication, 82
  - inductively coupled structure, 81–82
  - input impedance measurement and simulation, 83
  - lumped element model, 82
- Ultra-high-frequency (UHF), 22, 46
- Ultraviolet (UV) inks, 149
- Uniform Code Council, 23
- Unipolar RZ encoding, 39, 40
- United States, frequency allocations, 45
- Universal contactless smart cards, 18, 19
- UNMOD mode, microcontrollers, 99, 103
- Uplink budget calculation, 139, 140
- UWB RFID tags, 44–45
- Vector network analyzers (VNAs), 71, 155
- Vector signal generators (VSGs), 104
- Via-holes, 128
- Voltage multipliers, 95–97
  - input impedance determination, 96
  - in RFID tag chip, 96
  - role, 95
  - as wake up circuit, 97
  - See also* Integrated circuits (ICs)
- Voltage standing wave ratio (VSWR), 61, 67
- Wearable battery-free RFID tags, 169–84
  - circuit implementation, 178–84
  - energy-harvesting unit, 171–73
  - shoe-mounted antenna design, 173–78
- Wi-Fi, 120
- Wi-Fi RFID tags, 44–45
- WiMAX, 120
- Wireless body-area networks (WBANs), 106, 169
- Wireless link analysis, 132
- Wireless local area networks (WLANs), 119–20

## Wireless modules

double layer monopole-based, 122–25

fabrication/assembly of, 125–37

single-layer, dipole-based, 120–22

## Wireless sensor networks, 56–58

## Wireless sensors

defined, 55

*See also* RFID-enabled sensors

Wireless transfer, 103

Worldwide applications, 189–200

Zigbee networks, 56–57

Zigbee RFID tags, 44–45



## Recent Titles in the Artech House Integrated Microsystems Series

*Acoustic Wave and Electromechanical Resonators: Concept to Key Applications*, Humberto Campanella

*Adaptive Cooling of Integrated Circuits Using Digital Microfluidics*, Philip Y. Paik, Krishnendu Chakrabarty, and Vamsee K. Pamula

*Fundamentals and Applications of Microfluidics, Second Edition*, Nam-Trung Nguyen and Steven T. Wereley

*Integrated Interconnect Technologies for 3D Nanoelectronic Systems*, Muhannad S. Bakir and James D. Meindl, editors

*Introduction to Microelectromechanical (MEM) Microwave Systems*,  
Héctor J. De Los Santos

*An Introduction to Microelectromechanical Systems Engineering*,  
Nadim Maluf

*MEMS Mechanical Sensors*, Stephen Beeby et al.

*Micro and Nano Manipulations for Biomedical Applications*,  
Tachung C. Yihllie Talpasanu

*Microfluidics for Biotechnology, Second Edition*, Jean Berthier  
and Pascal Silberzan

*Organic and Inorganic Nanostructures*, Alexei Nabok

*Post-Processing Techniques for Integrated MEMS*, Sherif Sedky

*Pressure-Driven Microfluidics*, Václav Tesař

*RFID-Enabled Sensor Design and Applications*, Amin Rida, Li Yang,  
and Manos Tentzeris

*RF MEMS Circuit Design for Wireless Communications*,  
Héctor J. De Los Santos

*Wafer-Level Testing and Test During Burn-in for Integrated Circuits*,  
Sudarshan Bahukudumbi Krishnendu Chakrabarty

*Wireless Sensor Network*, Nirupama Bulusu and Sanjay Jha

For further information on these and other Artech House titles, including previously considered out-of-print books now available through our In-Print-Forever<sup>®</sup> (IPF<sup>®</sup>) program, contact:

Artech House  
685 Canton Street  
Norwood, MA 02062  
Phone: 781-769-9750  
Fax: 781-769-6334  
e-mail: [artech@artechhouse.com](mailto:artech@artechhouse.com)

Artech House  
16 Sussex Street  
London SW1V 4RW UK  
Phone: +44 (0)20 7596-8750  
Fax: +44 (0)20 7630-0166  
e-mail: [artech-uk@artechhouse.com](mailto:artech-uk@artechhouse.com)

Find us on the World Wide Web at: [www.artechhouse.com](http://www.artechhouse.com)

---