

Vehicle-Bridge Interaction Dynamics

With Applications to High-Speed Railways

List of Chapters:

Preface

Acknowledgments

List of Symbols

1. Introduction

- 1.1 Major Considerations
- 1.2 Vehicle Models
- 1.3 Bridge Models
- 1.4 Railway Bridges and Vehicles
- 1.5 Methods of Solution
- 1.6 Impact Factor and Speed Parameter
- 1.7 Concluding Remarks

Part I Moving Load Problems

2. Impact Response of Simply-Supported Beams

- 2.1 Introduction
- 2.2 Simple Beam Subjected to a Single Moving Load
- 2.3 Impact Factor for Midpoint Displacement
- 2.4 Impact Factor for Midpoint Bending Moment
- 2.5 Impact Factor for End Shear Force
- 2.6 Simple Beam Subjected to a Series of Moving Loads
 - 2.6.1 Modeling of Wheel Loads of a Train
 - 2.6.2 Method of Solution
 - 2.6.3 Phenomenon of Resonance
 - 2.6.4 Phenomenon of Cancellation
 - 2.6.5 Optimal Design Criteria

2.7 Illustrative Examples

- 2.7.1 Comparison with Finite Element Solutions
- 2.7.2 Effects of Moving Masses and Damping

2.7.3 Effect of Span to Car Length Ratio

2.8 Concluding Remarks

3. Impact Response of Railway Bridges with Elastic Bearings

- 3.1 Introduction
- 3.2 Equation of Motion
- 3.3 Fundamental Frequency of the Beam
- 3.4 Dynamic Response Analysis
- 3.5 Phenomena of Resonance and Cancellation
- 3.6 Effect of Structural Damping
- 3.7 Envelope Formula for Resonance Response
- 3.8 Impact Factor and Envelope Impact Formulas
- 3.9 Numerical Examples
 - 3.9.1 Phenomenon of Resonance
 - 3.9.2 Effect of Structural Damping
 - 3.9.3 Envelope Impact Formula
- 3.10 Concluding Remarks

4. Mechanism of Resonance and Cancellation for Elastically-Supported Beams

- 4.1 Introduction
- 4.2 Formulation of the Theory
 - 4.2.1 Assumed Modal Shape of Vibration
 - 4.2.2 Single Moving Load
 - 4.2.3 A Series of Moving Loads
- 4.3 Conditions of Resonance and Cancellation
- 4.4 Mechanism of Resonance and Cancellation
- 4.5 Field Measurement of Vibration of Railway Bridges





- 4.6 Concluding Remarks
- 5. Curved Beams Subjected to Vertical and Horizontal Moving Loads
 - 5.1 Introduction
 - 5.2 Governing Differential Equations
 - 5.3 Curved Beam Subjected to a Single Moving Load
 - 5.3.1 Vertical Moving Load
 - 5.3.2 Horizontal Moving Load
 - 5.4 Unified Expressions for Vertical and Radial Vibrations
 - 5.5 Solutions for Multi Moving Loads
 - 5.6 Conditions of Resonance and Cancellation
 - 5.7 Numerical Examples
 - 5.7.1 Comparison of Analytic with Finite Element Solutions
 - 5.7.2 Phenomenon of Cancellation Under Single or Multi Moving Masses
 - 5.7.3 Phenomenon of Resonance Under Multi Moving Masses
 - 5.7.4 I-S Plot — Impact Effect Caused by Moving Loads
 - 5.8 Concluding Remarks

Part II Interaction Dynamics Problems

- 6. Vehicle-Bridge Interaction Element Based on Dynamic Condensation
 - 6.1 Introduction
 - 6.2 Equations of Motion for the Vehicle and Bridge
 - 6.3 Element Equations in Incremental Form
 - 6.4 Equivalent Stiffness Equation for Vehicles
 - 6.5 Vehicle-Bridge Interaction Element
 - 6.6 Incremental Dynamic Analysis with Iterations
 - 6.6.1 Equivalent Stiffness Equations for VBI System
 - 6.6.2 Procedure of Iterations
 - 6.7 Numerical Verification
 - 6.7.1 Simple Beam Subjected to Moving Sprung Mass
 - 6.7.2 Simple Beam Subjected to Moving Train
 - 6.7.3 Free-Fixed Beam with Various Models for Moving Vehicles
 - 6.8 Parametric Studies
 - 6.8.1 Models for Bridge, Train and Rail Irregularities
 - 6.8.2 Moving Load versus Sprung Mass Model

- 6.8.3 Effect of Rail Irregularities
- 6.8.4 Effect of Ballast Stiffness
- 6.8.5 Effect of Vehicle Suspension Stiffness
- 6.8.6 Effect of Vehicle Suspension Damping
- 6.9 Concluding Remarks
- 7. Vehicle-Bridge Interaction Element Considering Pitching Effect
 - 7.1 Introduction
 - 7.2 Equations of Motion for the Vehicle and Bridge
 - 7.3 Rigid Vehicle-Bridge Interaction Element
 - 7.4 Equations of Motion for the VBI System
 - 7.5 Numerical Studies
 - 7.5.1 Simple Beam Traveled by a Two-Axle System
 - 7.5.2 Simple Beam Traveled by a Train Consisting of Five Identical Cars
 - 7.5.3 Riding Comfort in the Presence of Track Irregularities
 - 7.5.4 Effect of Elasticity of the Suspension System
 - 7.5.5 Effect of Damping of the Suspension System
 - 7.5.6 Effect of Track Irregularity
 - 7.6 Concluding Remarks
- 8. Modeling of Vehicle-Bridge Interactions by the Concept of Contact Forces
 - 8.1 Introduction
 - 8.2 Vehicle Equations and Contact Forces
 - 8.3 Solution of Contact Forces from Vehicle Equations
 - 8.4 VBI Element Considering Vertical Contact Forces Only
 - 8.5 VBI Element Considering General Contact Forces
 - 8.6 System Equations and Structural Damping
 - 8.7 Procedure of Time-History Analysis for VBI Systems
 - 8.8 Numerical Examples and Verification
 - 8.8.1 Cantilever Beam Subjected to a Moving Load
 - 8.8.2 Cantilever Beam Subjected to a Moving Mass
 - 8.8.3 Simple Beam Subjected to a Moving Sprung Mass
 - 8.8.4 Simple Beam Subjected to a Moving Rigid Bar Supported

Vehicle-Bridge Interaction Dynamics



- by Spring-Dashpot Units
- 8.8. Bridge Subjected to a Vehicle in Deceleration
 - 8.8.6 Bridges Subjected to a Train Consisting of 10 Identical Cars
- 8.9 Concluding Remarks
- 9. Vehicle–Rails–Bridge Interaction — Two-Dimensional Modeling
 - 9.1 Introduction
 - 9.2 Train and Bridge Models and Minimal Bridge Segment
 - 9.3 Vehicle’s Equations of Motion and Contact Forces
 - 9.4 Rails and Bridge Element Equations
 - 9.4.1 Central Finite Rail (CFR) Element and Bridge Element
 - 9.4.2 Left Semi-Infinite Rail (LSR) Element
 - 9.4.3 Right Semi-Infinite Rail (RSR) Element
 - 9.5 VRI Element Considering Vertical Contact Forces Only
 - 9.6 VRI Element Considering General Contact Forces
 - 9.7 System Equations and Structural Damping
 - 9.8 Shift of Bridge Segment and Renumbering of Nodal Degrees of Freedom
 - 9.9 Verification of Proposed Procedure
 - 9.10 Numerical Studies
 - 9.10.1 Steady-State Responses of the Train, Rails and Bridge
 - 9.10.2 Impact Response of Rails and Bridge Under Various Train Speeds
 - 9.10.3 Response of Train to Track Irregularity and Riding Comfort of Train
 - 9.10.4 Effect of the Track System
 - 9.11 Concluding Remarks
- 10. Vehicle–Rails–Bridge Interaction — Three-Dimensional Modeling
 - 10.1 Introduction
 - 10.2 Three-Dimensional Models for Train, Track and Bridge
 - 10.3 Vehicle Equations and Contact Forces
 - 10.4 Equations for the Rail and Bridge Elements
 - 10.4.1 Central Finite Rail (CFR) Element for Track A
 - 10.4.2 Central Finite Rail (CFR) Element for Track B
 - 10.4.3 The Bridge Element
 - 10.4.4 Left Semi-Infinite Rail (LSR) Element for Track A
 - 10.4.5 Right Semi-Infinite Rail (RSR) Element for Track A
 - 10.4.6 Left Semi-Infinite Rail (LSR) Element for Track B
 - 10.4.7 Right Semi-Infinite Rail (RSR) Element for Track B
 - 10.5 VRI Element Considering Vertical and Lateral Contact Forces
 - 10.6 VRI Element Considering General Contact Forces
 - 10.7 System Equations and Structural Damping
 - 10.8 Simulation of Track Irregularities
 - 10.9 Verification of the Proposed Theory and Procedure
 - 10.10 Dynamic Characteristics of Train–Rails–Bridge Systems
 - 10.10.1 Properties of the Railway Vehicles and Bridge
 - 10.10.2 Natural Frequencies of the Railway Vehicles and Bridge
 - 10.10.3 Dynamic Interactions Between the Train and Bridge
 - 10.10.4 Train–Rails–Bridge Interaction Considering Track Irregularities
 - 10.11 Dynamic Effects Induced by Trains at Different Speeds
 - 10.12 Response Induced by Two Trains in Crossing
 - 10.13 Criteria for Derailment and Safety Assessment of Trains
 - 10.14 Concluding Remarks
- 11. Stability of Trains Moving over Bridges Shaken by Earthquakes
 - 11.1 Introduction
 - 11.2 Analysis Model for Train–Rails–Bridge System
 - 11.3 Railway–Bridge System with Ground Motions
 - 11.3.1 Central Finite Rail (CFR) Element for Track A
 - 11.3.2 Central Finite Rail (CFR) Element for Track B
 - 11.3.3 Bridge Element
 - 11.3.4 Left Semi-Infinite Rail (LSR) Element for Tracks A and B
 - 11.3.5 Right Semi-Infinite Rail (RSR) Element for Tracks A and B



- 11.4 Method of Analysis
- 11.5 Description of Input Earthquake Records
- 11.6 Train Resting on Railway Bridge under Earthquake
 - 11.6.1 Responses of Bridge and Train Car
 - 11.6.2 Contact Forces between Wheels and Rails
 - 11.6.3 Maximum YQ Ratio for Wheelsets in Earthquake
 - 11.6.4 Stability of an Idle Train under Earthquakes of Various Intensities
- 11.7 Trains Moving over Railway Bridges under Earthquakes
 - 11.7.1 Responses of Bridge and Train Car
 - 11.7.2 Maximum YQ Ratio for Moving Trains in Earthquake
 - 11.7.3 Stability Assessment of Moving Trains in Earthquake
- 11.8 Concluding Remarks
- Appendix B Newmark's β Method
- Appendix C Vertical Frequency of Vibration of Curved Beam
- Appendix D Horizontal Frequency of Vibration of Curved Beam
- Appendix E Derivation of Residual Vibration for Curved Beam in Eq. (5.53)
- Appendix F Beam Element and Structural Damping Matrix
 - F.1 Equation of Motion for Beam Element
 - F.2 StructuralDampingMatrix
- Appendix G Partitioned Matrices and Vector for Vehicle, Eq. (9.4)
- Appendix H Related Matrices and Vectors for CFR Element
- Appendix I Related Matrices and Vectors for 3D Vehicle Model
- Appendix J Mass and Stiffness Matrices for Rail and Bridge Elements
 - J.1 Mass and Stiffness Matrices of the CFR Element for Both Tracks
 - J.2 Mass and Stiffness Matrices of the Bridge Element
 - J.3 Mass and Stiffness Matrices for the LSR Element
 - J.4 Mass and Stiffness Matrices of the RSR Element
 - J.5 Related Matrices and Vectors for the Rail Elements
- References
- Subject Index