SupplierBusiness

The Advanced Automotive Steering Systems Report

IHS.

2013 Edition

CONTENTS

Introduction	6
Steering feel	6
Vehicle electrification	6
Increasing influence of electrification	7
Steering and chassis performance	10
Design compromise	10
Manufacturing economics	11
Platform development and component commonality	11
Noise vibration harshness	12
Key drivers	13
Fuel efficiency and CO ₂ emissions	13
The United States	13
The European Union	14
Japan	15
China	15
Other countries	16
Materials considerations	16
Increasing electrification	21
Systems integration	21
The packaging dilemma	23
The future for steering design	24
Steering system trends	25
Electrically Power Assisted Steering (EPAS)	25
Surface acoustic wave	29
Software enabled features	30
Electro-Hydraulic Power Steering (EHPS)	31
Electric Power Steering (EPS)	31
Active Front Steering (AFS)	32
Four-wheel steering	35
Steer-by-wire	37
Automated parking	38
NVH reduction	39
Pressure ripples in steering hydraulics	40
Market developments	42
Technology progress	42
Sector development	42
Technology is changing	
Supplier Profiles	
Autoliv	44

ixetic	429
JTEKT	50
Mando Corporation	53
NSK	57
Schaeffler (INA)	60
Showa Corporation	65
Tedrive	68
TRW Automotive	69
Valeo	75
ZF	81

Tables and Figures

Table 1: Advantages of EPAS [Source: ZF Lenksysteme]
Figure 1: Average power consumption 1990 – 2010 for mid size and luxury cars [Source: AABC Europe]
Figure 2: Electrical power requirements for NEDC and actual customer requirements for various vehicle classes [Source: BMW]
Figure 3: Steering system design compromise (EPAS) [Source: ZF Lenksysteme]9
Figure 4: Conventional chassis system compromises [Source Daimler] 10
Figure 5: The complex functional harmony required to provide driving quality [Source:
Ford]11
Figure 6: Matching and similar parts for the Volkswagen B/C platform [Source: Audi] 12
Figure 7: Fuel economy standards to 2015 for selected countries (US mpg) [Source:
Various] 15
Figure 8: Weight share of modules and their weight increase [Source: Audi] 17
Figure 9: Cost comparison of lightweight vehicle structures [Source: Massachusetts
Institute of Technology]
Figure 10: Additional costs entailed by tougher European CO ₂ legislation for a vehicle with emissions of 161g per km [Source: TRW]
Figure 11: Average profit per vehicle versus CO2 compliance costs [Source: A T
Kearney]
Figure 12: The growth of integrated functions [Source: BMW] 21
Figure 13: The relationship between functions and control units to 2014 [Source: ADL]
Figure 14: X-by-wire roadmap [Source: Ricardo]
Figure 15: Mechanical and electric control systems for EPAS [Source: ZF Lenksysteme]
Figure 16: Column mounted electrical assist [Source: ZF Lenksysteme]
Figure 17: Paraxial electrically assisted rack [Source: ZF Lenksysteme]
Figure 18: Differing steering rack types, force and mechanical performance by vehicle
class [Source: ZF Lenksysteme]
Figure 19: Active steering system components [Source: ZF Lenksysteme]

Figure 20: A schematic of AFS used in a driver assistance function to enhance vehic stability [Source: ZF Lenksysteme]	
Figure 21: Renault's active four-wheel steer systems as fitted to the Laguna GT [Sour Renault]	ce:
Figure 22: A schematic illustrating 4 Wheel Active Steer functionality [Source: Nissa	an]
Figure 23: Nissan's steer-by-wire system [Source: Nissan] Figure 24: Pressure traces from a left turn on gravel surface at 25 km/h [Source: SAE] Figure 25: Power-assisted rack and pinion steering assembly with standpipe [Source: SAE]	37 40 ce:
Figure 26: Reduced pressure traces from a left turn on gravel surface at 25 km/h [Sourd SAE]	ce: