

contents

Acknowledgements	<u>xix</u>
Preface	<u>xxi</u>
A Note on Units	<u>xxiii</u>

Volume 1

CHAPTER 1

Introduction	<u>1</u>
Brief History of Landing Gear	<u>2</u>
Design Process	<u>10</u>
Nomenclature	<u>12</u>
Book Outline	<u>13</u>
References	<u>16</u>

CHAPTER 2

Airfield Compatibility	<u>17</u>
Flotation/Ground Compatibility	<u>18</u>
Common Concepts in Ground Compatibility	<u>20</u>
General Overview	<u>20</u>
California Bearing Ratio	<u>21</u>
Modulus of Subgrade Reaction, k	<u>25</u>
Ground Compatibility Nomenclature	<u>26</u>
Ground Contact Pressure	<u>28</u>
Landing Gear Arrangement Nomenclature	<u>29</u>
Ground Compatibility (Flotation) Analysis	<u>31</u>
Unpaved Surfaces	<u>31</u>
<i>Soil and Grass</i>	<u>32</u>
Unpaved Analysis Method ASD-TR-68-34	<u>33</u>
Alternative Unpaved Analysis Methods	<u>43</u>
<i>Gravel/Aggregate Airfields</i>	<u>44</u>
Paved Surfaces	<u>46</u>
<i>Pavement Design Analysis</i>	<u>47</u>
Layered Elastic and Finite Element Analysis	<u>47</u>
Flexible Pavements-Historic Approach	<u>52</u>
Rigid Pavements-Historic Approach	<u>56</u>
<i>Pavement Strength Reporting Methods</i>	<u>59</u>
Load Classification Number/Load Classification Group Method	<u>60</u>

Modern Methods for Paved Runways—ACN/PCN and ACR/PCR	<u>60</u>
ACN/PCN	<u>60</u>
ACR/PCR	<u>68</u>
Membrane and Mat Surfaces	<u>71</u>
PCASE Software for Flotation Analysis	<u>72</u>
Engineered Materials Arresting Systems (EMAS)	<u>75</u>
Snow and Ice Runways	<u>75</u>
<i>Prepared Snow Runways</i>	<u>76</u>
<i>Ice Runways</i>	<u>78</u>
Helidecks and Heliports	<u>82</u>
Naval Vessels/Aircraft Carriers	<u>83</u>
<i>Aircraft Carriers</i>	<u>85</u>
<i>Amphibious Warfare Ships</i>	<u>85</u>
<i>Example</i>	<u>86</u>
Maneuvering	<u>86</u>
ICAO Airport Standards	<u>86</u>
Required Maneuvers—NAS3601	<u>91</u>
Required Maneuvers—Land-Based Military Aircraft	<u>91</u>
Required Maneuvers—Shipboard Military Aircraft	<u>92</u>
Surface Texture and Profile	<u>92</u>
Paved Runways	<u>93</u>
Micro/Macrotecture	<u>93</u>
Runway Roughness/Profile and Obstacles	<u>96</u>
Roughness Measurement Techniques	<u>96</u>
Power Spectral Density Approach	<u>96</u>
Boeing Bump Method	<u>97</u>
International Roughness Index	<u>98</u>
Short Wavelength Roughness	<u>99</u>
ProFAA Roughness Evaluation Tool	<u>99</u>
Industry Standard Roughness Profiles	<u>99</u>
Bomb Damage Repair	<u>105</u>
Arrestor Cables	<u>108</u>
Unsurfaced Runways	<u>109</u>
Deck/Helideck	<u>109</u>
References	<u>112</u>

CHAPTER 3

Tires	<u>115</u>
Tire Construction and Terminology	<u>117</u>
Construction Terminology	<u>119</u>
Tire Dimensions and Properties	<u>121</u>
Inflation Pressure	<u>127</u>
Tire Temperatures	<u>130</u>
Tire Classification	<u>134</u>

Selection between Bias and Radial Tires	136
Manufacturing, Certification, and Standardization	137
Tire Sizing	139
Tire Sizing Formulae	139
Tire Sizing Requirements	141
Tire Tables	142
Tire Performance and Modeling	158
Mechanics of Pneumatic Tires	158
Rolling Behavior	159
Turning Behavior	160
Vertical Stiffness	161
Braking Behavior	163
Tire-Ground Friction	167
Wet Runways and Hydroplaning	169
Snow and Ice	175
Wear	175
Tire Property and Behavior Models	177
NASA Technical Report R-64	177
Brush Model and Fiala Model	177
Beam and String Models	179
Magic Formula Model	179
Undesirable Tire Behavior	180
Spray	181
Debris Lofting	185
Tire Failure Modes	188
Modeling Tire Failure Events	191
Model 1: Tire Debris Threat Model	192
Model 3E: Flailing Tire Strip Threat Model	193
Model 3R: Flailing Tire Strip Threat Model	193
Model 4: Tire Burst Pressure Effect Threat Model	194
Understanding the Impact of Tire Failures	197
References	199

CHAPTER 4

Wheels, Brakes, and Brake Control	203
Brakes	203
Aircraft Deceleration	208
Brake Sizing	213
Energy	213
Kinetic Energy Calculation	214
Rational Brake Energy Calculation	216
Torque	217

Brake Design	<u>219</u>
Brake Actuation	<u>225</u>
Mechanical Connection to the Landing Gear Structure	<u>228</u>
Weight	<u>230</u>
Worked Example	<u>231</u>
Wheel and Brake Certification and Recommended Practices	<u>235</u>
Brake Issues and Concerns	<u>247</u>
Vibration	<u>247</u>
Failure and Degradation Modes	<u>249</u>
Braking Accessories	<u>250</u>
Brake Cooling Fans	<u>250</u>
Brake Temperature Measuring Systems	<u>251</u>
Retraction Braking	<u>252</u>
Wheels	<u>252</u>
Bearing Selection and Preload	<u>257</u>
Over Temperature and Over Pressure Relief	<u>261</u>
Wheel Mass	<u>262</u>
Failure Modes	<u>262</u>
Bearing Failure	<u>262</u>
Wheel Rim Release	<u>263</u>
Brake Control	<u>264</u>
Brake Control Architectures	<u>266</u>
Antiskid and Related Functions	<u>273</u>
Braking Efficiency	<u>274</u>
Antiskid Dynamics	<u>274</u>
Antiskid Hardware	<u>278</u>
Autobrake	<u>280</u>
Failure Modes	<u>281</u>
References	<u>281</u>

CHAPTER 5

Layout, Stability, and Maneuverability	<u>285</u>
Tricycle Arrangement	<u>287</u>
Conventional (Taildragger) Configuration	<u>301</u>
Bicycle Configuration	<u>304</u>
Maneuvering	<u>306</u>
References	<u>311</u>

CHAPTER 6

General Arrangement	<u>313</u>
Energy Absorption	<u>313</u>
Aircraft Structural Arrangement	<u>319</u>
Landing Gear Topologies	<u>329</u>
Common Considerations	<u>331</u>
Caster	<u>331</u>
Wheel Alignment	<u>333</u>
Cantilever	<u>335</u>
Cantilever Gear Bearing Overlap	<u>338</u>
Pogo-Stick Design	<u>340</u>
Torque Links and Splines	<u>340</u>
Semi-Articulated	<u>343</u>
Articulated	<u>345</u>
Side-Hinged Articulated	<u>349</u>
Multi-Wheel Bogie Arrangements	<u>349</u>
Other Configurations	<u>356</u>
Wheel-Less Configurations	<u>358</u>
Skids and Skis	<u>359</u>
Adaptive Structure	<u>362</u>
Seaplanes, Floats, and Hydrofoils	<u>363</u>
Air Cushion	<u>365</u>
References	<u>368</u>

CHAPTER 7

Shock Absorbers	<u>371</u>
Damping	<u>372</u>
Friction Damping	<u>372</u>
Hydraulic Damping	<u>372</u>
Other Damping Types	<u>380</u>
Recoil Damping	<u>381</u>
Structural Spring Types	<u>383</u>
Coil Spring	<u>383</u>
Ring-Spring	<u>383</u>
Leaf Spring	<u>385</u>
Elastomeric	<u>387</u>
Pneumatic	<u>391</u>
Liquid Spring	<u>394</u>

Liquid Spring Sizing	396
Liquid Spring Examples and Issues	402
Oleo-Pneumatic	406
Oleo-Pneumatic Sizing	413
Refinements	416
Real Gas Model	416
Inflation Gas Solubility in Oil	417
Design for Real-World Operation	422
Example Single Stage Oleo-Pneumatic Shock Absorbers	422
Multiple Stage Oleo-Pneumatic Shock Absorbers	427
Active Shock Absorbers	434
Shock Absorber Design Considerations	442
Seals	442
Inflation and Fill Valves	444
Servicing	444
Shock Absorber Oil	447
Single Use Shock Absorbers: Crashworthiness and Space Applications	447
Rotorcraft Ground Resonance	453
References	455

CHAPTER 8

Retraction, Kinematics, and Mechanisms	459
Retraction/Extension	460
Sliding Systems	460
Hinged Systems	462
Parallelogram Arrangements	465
Secondary Motion	469
Additional Hinge Axis	469
Wheel Rotation	471
Planing Mechanisms	473
Shortening	479
Bogie Positioning	486
Bogie-Controlled Articulation	487
Stabilization, Locking, and Unlocking	493
Planar Braces	493
Telescopic Braces	499
Rolling-Folding Braces	504
Dual Brace (Rolling-Folding)	505
Plunger Locks	507
Over-Center Locks	509

Self-Breaking Locks	<u>511</u>
Latch Locks	<u>516</u>
Ground Locks	<u>518</u>
Springs	<u>519</u>
Door Mechanisms	<u>522</u>
Gear-Actuated Doors	<u>522</u>
Independently Actuated Doors	<u>527</u>
Ground Door Opening	<u>527</u>
Actuation Layout and Loads	<u>529</u>
Actuator Load Requirements	<u>535</u>
References	<u>540</u>

Volume 2

CHAPTER 9

Actuation	<u>541</u>
Manual Actuation	<u>541</u>
Hydraulic Actuation	<u>543</u>
Rotary Hydraulic	<u>543</u>
Linear Hydraulic	<u>544</u>
Retraction Actuators	<u>546</u>
Unlock Actuators	<u>548</u>
Bogie Pitch Trimmers	<u>550</u>
Internally Locking Actuators	<u>559</u>
Collect Lock Actuators	<u>561</u>
Segment Lock Actuators	<u>562</u>
Electric Actuation	<u>564</u>
Electro-Hydraulic	<u>565</u>
Electro-Mechanical	<u>567</u>
References	<u>573</u>

CHAPTER 10

Systems	<u>575</u>
Power Sources – Electrical, Hydraulic, and Pneumatic	<u>575</u>
Electrical	<u>575</u>
Hydraulic	<u>578</u>
Typical Central Hydraulic Systems	<u>578</u>
Dedicated Systems – Hydraulic Power Packs	<u>582</u>
Hydraulic Components	<u>583</u>
Pneumatic	<u>587</u>

Sensors and Monitoring Systems	<u>589</u>
Proximity Sensing	<u>589</u>
Rotary and Linear Position Sensing	<u>592</u>
Pressure and Temperature Sensing	<u>593</u>
Electrical and Hydraulic Dressings	<u>594</u>
Electrical Dressings	<u>594</u>
Hydraulic Dressings	<u>597</u>
Weight on Wheels (Air/Ground) Detection	<u>600</u>
Extension and Retraction	<u>604</u>
Example Systems	<u>607</u>
Alternate Extension	<u>611</u>
Steering and Steering Control	<u>615</u>
Required Steering Torque	<u>616</u>
Single Wheel Scrubbing Torque, T_s	<u>616</u>
Dual Wheel Scrubbing Torque, T_s	<u>617</u>
Steering Arrangements	<u>619</u>
Centering	<u>621</u>
Steer Motors and Control	<u>622</u>
Rack and Pinion	<u>623</u>
Push-Pull	<u>626</u>
Rotary Steer Motor	<u>627</u>
Shimmy Damping	<u>627</u>
Nose Wheel Steering Examples	<u>631</u>
Tailwheel Steering	<u>644</u>
Main Gear Steering Examples	<u>646</u>
Towing Concerns	<u>647</u>
Landing and Taxi Lights	<u>648</u>
References	<u>655</u>

CHAPTER 11

Special Functions	<u>659</u>
Catapult and Holdback	<u>659</u>
Jump Strut	<u>664</u>
Hiking and Kneeling	<u>665</u>
Autonomous Taxi	<u>672</u>
Tire Pre-rotation	<u>673</u>
Tail Bumper	<u>675</u>
Weight and Balance	<u>676</u>
Skis	<u>678</u>
References	<u>683</u>

CHAPTER 12

Detail Design	<u>687</u>
Overview	<u>687</u>
Structural Materials	<u>692</u>
Steel and Corrosion Resistant Steel	<u>696</u>
Aluminum	<u>696</u>
Titanium	<u>698</u>
Composites	<u>699</u>
Surface Treatments	<u>701</u>
Surface Modification	<u>701</u>
Wear and Sealing Surface Coatings	<u>701</u>
Corrosion Protection Coatings	<u>703</u>
Inspection	<u>705</u>
Corrosion Avoidance	<u>708</u>
Stress Corrosion Cracking	<u>710</u>
Galvanic Corrosion Avoidance	<u>712</u>
Fasteners	<u>716</u>
Locking and Dual Locking	<u>719</u>
Clearance Requirements for Fastener Installation and Maintenance	<u>721</u>
Pins, Lugs, Sockets, and Bushings	<u>725</u>
Initial Sizing	<u>727</u>
Bushings	<u>727</u>
Grease Grooves	<u>729</u>
Bushing Installation	<u>730</u>
Repair Allowance	<u>733</u>
Grease Fittings and Greasing Provisions	<u>733</u>
Grease Selection	<u>735</u>
Pin and Lug Joint Examples	<u>735</u>
Limits and Fits	<u>741</u>
Metric System	<u>742</u>
US Customary (Inch) System	<u>744</u>
Typical Fit Classes for Landing Gear Components	<u>745</u>
Springs	<u>746</u>
Seals	<u>751</u>
Electrical Bonding, Lightning, and Static Dissipation	<u>755</u>
Shock Absorber Bearings	<u>757</u>
Bogie Pivot Joint	<u>760</u>
Towing, Jacking, and Tie-Down Provisions	<u>763</u>
Tow Fittings	<u>763</u>
Jacking	<u>766</u>

Tie-Down	<u>767</u>
Emergency Towing (Debogging)	<u>768</u>
Crashworthiness	<u>769</u>
Fuse Pins	<u>771</u>
Maintainability and Murphy Proofing	<u>772</u>
References	<u>773</u>

CHAPTER 13

Loads, Structural Analysis, and Testing **783**

Loads	<u>784</u>
Ground Loads	<u>785</u>
Asymmetrical Loads on Multiple Wheel Landing Gears	<u>785</u>
Book Cases	<u>787</u>
<i>Taxi, Takeoff, and Landing Roll</i>	<u>787</u>
<i>Braked Roll Conditions</i>	<u>788</u>
<i>Turning</i>	<u>790</u>
<i>Tailwheel-Specific Cases</i>	<u>790</u>
<i>Nose-Wheel-Specific Cases</i>	<u>790</u>
<i>Pivoting</i>	<u>791</u>
<i>Reverse Braking</i>	<u>791</u>
Rational Loads	<u>792</u>
Landing Loads	<u>792</u>
<i>Level Landing Conditions</i>	<u>792</u>
<i>Tail-Down Landing Condition</i>	<u>794</u>
<i>One Gear Conditions</i>	<u>794</u>
<i>Lateral Drift Landing Case (Side Load)</i>	<u>794</u>
<i>Rebound and Free Extension</i>	<u>796</u>
<i>Shock Absorber Pressures</i>	<u>796</u>
Sailplane Specific Loads	<u>796</u>
<i>Level Landing Conditions</i>	<u>797</u>
<i>Tail-Down Landing Conditions</i>	<u>797</u>
<i>One-Wheel Landing Condition</i>	<u>798</u>
<i>Side Load Conditions</i>	<u>798</u>
<i>Nose-Wheel Conditions</i>	<u>798</u>
<i>Tail Skid Impact</i>	<u>799</u>
<i>Wingtip Landing</i>	<u>799</u>
Towing Loads	<u>799</u>
Jacking Loads	<u>799</u>
Emergency Towing (Debogging) Loads	<u>800</u>
Tie Down Loads	<u>801</u>
Aerodynamic and Inertial Loads	<u>801</u>
Aerodynamic Loads	<u>801</u>
<i>Retractable Landing Gears</i>	<u>803</u>
<i>Extension/Retraction Loads</i>	<u>804</u>
<i>Door Attachment Loads</i>	<u>804</u>
<i>Fixed Landing Gears</i>	<u>804</u>

Inertial Loads	<u>807</u>
<i>Brake Application in Air</i>	<u>807</u>
<i>Gyroscopic Loads</i>	<u>807</u>
<i>Vibration and Shock Loads</i>	<u>807</u>
<i>Aircraft Maneuver Loads</i>	<u>808</u>
Failure Case Loads	<u>808</u>
Bird Strike	<u>808</u>
Handling and Abuse Loads	<u>811</u>
Dynamic Behavior	<u>812</u>
Landing Analysis	<u>813</u>
Equations of Motion	<u>813</u>
Example Model Implementation	<u>818</u>
Simple Model for Early Estimates	<u>819</u>
Spin-Up and Spring Back	<u>821</u>
Model Validation—Drop Testing	<u>826</u>
Extension/Retraction	<u>827</u>
Ground Handling	<u>829</u>
Shimmy	<u>830</u>
Influences on Shimmy Behavior	<u>831</u>
Shimmy Analysis Models	<u>833</u>
<i>Approximate and Heuristic Methods</i>	<u>833</u>
<i>Closed Form Solutions</i>	<u>835</u>
<i>Simulation-Based Methods</i>	<u>837</u>
Shimmy Model Validation	<u>838</u>
Shimmy Suppression	<u>838</u>
Gear Walk	<u>841</u>
Acoustic Analysis	<u>843</u>
Static Strength	<u>844</u>
Static Strength Requirements	<u>845</u>
Beam Model	<u>847</u>
Classical Analysis	<u>847</u>
Lugs	<u>848</u>
Sockets	<u>849</u>
Pins and Tubes	<u>850</u>
Beams and Columns	<u>852</u>
Stress Concentration Factors	<u>852</u>
Interaction Equations	<u>853</u>
Finite Element Analysis	<u>853</u>
Static Strength Reporting	<u>855</u>
Strength Verification	<u>855</u>
Fatigue	<u>857</u>
Fatigue Requirements	<u>859</u>
Analysis Approach	<u>860</u>
Fatigue Loading Spectrum	<u>860</u>

Scatter Factors	<u>862</u>
Fatigue Verification	<u>862</u>
Mass Properties	<u>863</u>
Mass Prediction	<u>864</u>
Landing Gear Mass Data	<u>866</u>
Mass Properties Evaluation	<u>866</u>
Mass Properties Validation	<u>871</u>
Safety and Reliability	<u>873</u>
Safety Assessment Overview	<u>873</u>
Reliability and Availability	<u>876</u>
References	<u>877</u>

CHAPTER 14

Requirements and Regulations	<u>885</u>
Civil	<u>885</u>
Military	<u>938</u>
Environmental	<u>938</u>
Aerospace Standards, Recommended Practices, and Information Reports	<u>968</u>
References	<u>971</u>
Appendix A: 100 Busiest Airports Showing Runway Size and Strength	<u>973</u>
Appendix B: Example ACN Values for a Variety of Aircraft	<u>981</u>
Appendix C: Runway Roughness Profiles	<u>989</u>
Appendix D: Specific Volume of Nitrogen	<u>1011</u>
Appendix E: Gland Seal and Scraper Standard Dimensions	<u>1015</u>
Appendix F: Proposed Load Case Amendments for Part 25 Considering Aircraft with Multiple Landing Gears	<u>1033</u>
Index	<u>1051</u>